



## **RESOURCE CONSENT APPLICATION**

**U170210**

**M D M & A L Clark, A W &  
M G Tripe, G J King, Wildacres Ltd,  
J J Robinson, G R Spooner,  
K F Maher, G J Duckett, P F &  
T J Taylor for the Brookby Water  
Users Group**

Brookby Road, Hawkesbury

**Submissions Close**

**5.00 pm Tuesday 16 May 2017**

## Brookby Water Users Group

---

Resource Consent Application for a New Water Permit to Replace an Existing One

---

March 2017

# Resource Consent Application

This application is made under Section 88 of the Resource Management Act 1991



**MARLBOROUGH  
DISTRICT COUNCIL**

Please read and complete this form thoroughly and provide all details relevant to your proposal. Feel free to discuss any aspect of your proposal, the words used in this form or the application process with Council staff, who are here to help.

This application will be checked before formal acceptance. If further information is required, you will be notified accordingly. When this information is supplied, the application will be formally received and processed further.

You may apply for more than one consent that is needed to cover several aspects of the activity on this form.

## For Office Use

ISO 9001:2008  
Document Number:  
RAF0002-CI1579

Lodgement Fee Paid \$

Receipt No.

Consent No.

Case Officer:

Date Received:

**RECEIVED**

**31 MAR 2017**

**MARLBOROUGH  
DISTRICT COUNCIL**

## 1. Applicant Details (If a trust, list full names of all trustees.)

Name:  
(full legal name)

Brookby Water Users Group

Mailing Address:  
(including post code)

c/-Peter Deacon  
475 Brookby Rd, RD2  
Blenheim 7272

Email Address: peterd@orcon.net.nz

Phone: (Daytime) 572 9645

Phone: (Mobile) 021 210 7769

## 2. Agent Details (If your agent is dealing with the application, all communication regarding the application will be sent to the agent.)

Name: Paul Williams

Mailing Address:  
(including post code)

RMco Ltd  
PO Box 820  
Blenheim 7240

Email Address: paul@rmco.co.nz

Phone: (Daytime) 577 9239

Phone: (Mobile) 0274 577 009

3. Type of Resource Consent Applied For

☐ Coastal Permit

☐ Discharge Permit

☐ Land Use

☐ Subdivision

☒ Water Permit

4. Brief Description of the Activity

To take up to 25 cubic metres of water per day from the Omaka Aquifer for domestic and stock supply.

5. Supplementary Information Provided?

☒ Yes

☐ No

*Council has supplementary forms for some activities, such as moorings, water permits, domestic wastewater, discharge permits, to assist applicants with providing the required information.*

6. Property Details

The location to which the application relates is (address): 475, 479, 501, 523 and 525 Brookby Road

Legal description (i.e. Lot 1 DP 1234): Lots 1, 2 & 4 DP11647; Lot 1 DP 6236 & Lot 2 DP12091. Well is on Lot 1 DP332014.

*(Attach a sketch of the locality and activity points. Describe the location in a manner which will allow it to be readily identified, e.g. house number and street address, Grid Reference, the name of any relevant stream, river, or other water body to which application may relate, proximity to any well known landmark, DP number, Valuation Number, Property Number.)*

**Please attach a copy of the Certificate of Title that is less than 3 months old (except for coastal or water permits).**

The names and addresses of the owner and occupier of the land (other than the applicant):

**Please attach the written approval of affected parties/adjoining property owners and occupiers.**

*Note: As a matter of good practice and courtesy you should consult your neighbours about your proposal. If you have not consulted your neighbours, please give brief reasons on a separate sheet why you have not.*

7. Assessment of Effects on the Environment (AEE) *(Attach separate sheet detailing AEE.)*

I attach, in accordance with Schedule Four of the Resource Management Act 1991, an assessment of environmental effects in a level of detail that corresponds with the scale and significance of the effects that the proposed activity may have on the environment. Applications also have to include consideration of the provisions of the Resource Management Act 1991 and other relevant planning documents.

**Note: Failure to submit an AEE will result in return of this application.**

RECEIVED

31 MAR 2017

MARLBOROUGH  
DISTRICT COUNCIL

## 8. Other Information

Are additional resource consents required in relation to this proposal? If so, please list and indicate if they have been obtained or applied for.

I attach any other information required to be included in the application by the relevant Resource Management Plan, Act or regulations.

☒ Yes ☐ No

## 9. Fees


1. The applicable lodgement (base) fee is to be paid at the time of lodging this application. If payment is made into Council's bank account 02-0600-0202861-02, please put Applicant Name and either U-number, property number or consent type as a reference. If you require a GST receipt for a bank payment, please tick ☒
2. The final cost of processing the application will be based on actual time and costs in accordance with Council's charging policy. If actual costs exceed the lodgement fee an invoice will be issued (if actual costs are less, a refund will be made). Invoices are due for payment on the 20th of the month following invoice date. Council may stop processing an application until an overdue invoice is paid in full. Council charges interest on overdue invoices at 15% per annum from the date of issue to the date of payment. In the event of non-payment, legal and other costs of recovery will also be charged.
3. Please make invoice out to: ☒ Applicant ☐ Agent  
(if neither is ticked the invoice will be made out to Applicant)

## 10. Declaration

I (please print name) Paul Williams

confirm that the information provided in this application and the attachments to it are accurate.

Signature of applicant or authorised agent:



Date: 31 Mrch 2017

### Privacy Information

The information you have provided on this form is required so that your application can be processed and so that statistics can be collected by Council. The information will be stored on a public register and held by Council. Details may be made available to the public about consents that have been applied for and issued by Council. If you would like access to or make corrections to your details, please contact Council.

Reset Form



**RECEIVED**

**31 MAR 2017**

**MARLBOROUGH  
DISTRICT COUNCIL**

## Contents

1	Executive Summary .....	4
2	Location .....	4
3	Receiving Environment .....	5
3.1	The Land .....	5
3.2	Water Resource.....	5
3.3	Statutory Acknowledgements .....	5
4	Proposal Detail.....	6
4.1	Take of Water .....	6
4.2	Use of Water.....	6
5	Activity Status .....	6
5.1	Resource Management Act .....	6
5.2	Wairau/ Awatere Resource Management Plan.....	6
5.3	Marlborough Environment Plan .....	7
6	Assessment .....	7
6.1	Actual & Potential Effects .....	7
6.2	Objectives & Policies – Wairau/ Awatere Resource Management Plan.....	9
6.3	Objectives & Policies – Marlborough Environment Plan .....	10
6.4	National Environmental Standards .....	10
6.5	National Policy Statement.....	10
6.6	Regulations.....	11
6.7	Regional Policy Statement.....	11
7	Potentially Adversely Affected Persons & Consultation .....	11

8	Conclusions .....	11
	Appendix 1 – General Location .....	0
	Appendix 2 – Aerial Photograph .....	1
	Appendix 3 – Meter Readings.....	2
	Appendix 4 – Water Permit Application Form .....	3
	Appendix 5 – Analysis of Requirements of Schedule 4 of the Act.....	4

## 1 Executive Summary

The Brookby Water Users Group is comprised of five property owners with land located in the vicinity of 489 Brookby Road.

Water permit U070528 provides for the group to take up to 25 cubic metres of water per day for domestic and stock uses from a well located at 489 Brookby Road. The water permit is due to expire on 1 October 2017.

It is proposed to replace the water permit on expiry with a new water permit.

No additional water is being sought. The abstraction is within the current allocation of water from the Omaka Aquifer.

The nearest well is distant and there are no known effects on the ability of others in the vicinity to draw water via their wells.

The proposal is in accord with the objectives and policies of the Wairau/ Awatere Resource Management Plan (WARMP) and the Proposed Marlborough Environment Plan (MEP).

The adverse effects of this water take and use are less than minor and are consistent with the promotion of the sustainable management of natural and physical resources as set out in Section 5 of the Resource Management Act 1991.

## 2 Location

The subject properties are located to the east and south of the intersection of Falveys and Brookby Roads.

The details of the properties are as follows:

Legal Description	Address	Owners
Lot 1 DP11647	525 Brookby Road	Mathew Desmond Melton Clark, Amber Louise Clark
Lot 2 DP11647	523 Brookby Road	Anthony Winton Tripe, Marion Grace Tripe, Gregory John King
Lot 4 DP11647	475 Brookby Road	Wildacres Limited
Lot 1 DP 6236	501 Brookby Road	Janice Jean Robinson, Gillian Rae Spooner, Kevin Francis Maher, Geoffrey John Duckett
Lot 2 DP12091	479 Brookby Road	Peter Francis Taylor, Tracy Jeanette Taylor



Well P28w/1995, from which the water supply is abstracted, is located in the north-west corner of adjacent land Lot 1 DP332014. An easement provides for the subject property owners to access the well.

A map showing the general location of the subject properties is found in Appendix 1.

An aerial photograph in Appendix 2 shows the property boundaries and location of the well.

### 3 Receiving Environment

#### 3.1 The Land

The subject properties range in size from 5467m<sup>2</sup> to 6.9ha and include viticulture, pastoral and woodlot uses.

The land is flat adjacent to Brookby Road becoming gently rolling to strongly roll in contour towards the east.

Surrounding land uses include viticulture and pastoral.

All five properties include a dwelling.

#### 3.2 Water Resource

Well P28w/1995 draws water from the Omaka Aquifer which is a semi-confined to confined Aquifer.

The claybound gravels which form the Omaka Aquifer belong to a series of glacial outwash formations. The gravels contain high proportions of fine silts or clays and as a result the permeability of this material is low and yields from wells correspondingly low.

The Omaka Aquifer is identified in the Proposed Marlborough Environment Plan (MEP) as being over-allocated.

Well P28w/1995 is screened at between 10 to 56 metres depth and is a low yielding well. The diameter of the well is 125mm.

A mechanical water meter that cannot be adapted for electronic storage of data is currently installed.

#### 3.3 Statutory Acknowledgements

Statutory acknowledgements are set out in the document *Te Tau Ihu – Statutory Acknowledgements 2014* which is an attachment to the Wairau/ Awatere Resource Management Plan.

Rangitane o Wairau, Ngati Rarua and Ngati Toa have noted cultural, spiritual, historical and traditional associations with the area.

While the above three iwi authorities have noted their general associations with the land including the subject site, no specific sites of cultural, spiritual, historical or traditional significance are identified at or near the specific site of this proposal.

## 4 Proposal Detail

This application is for a water permit to replace the applicant's existing water permit (U070528) on expiry. No additional water or change of use of water is proposed.

### 4.1 Take of Water

It is proposed to continue to take up to 25m<sup>3</sup> of water per day from the Omaka Aquifer via well P28w/1995 which is located on Lot 1 DP332014.

### 4.2 Use of Water

It is proposed to use the abstracted water for the domestic and stock uses on Lots 1, 2 & 4 DP11647; Lot 1 DP 6236 & Lot 2 DP12091.

## 5 Activity Status

### 5.1 Resource Management Act

Section 14 of the Resource Management Act 1991 (the Act) requires that (paraphrased), no person may take or use any water unless it is allowed by a regional rule or resource consent.

Section 14(3) states that (paraphrased), a person is not prohibited from taking or using water if the water is required for an individual's reasonable domestic needs or the reasonable needs of an individual's animals for drinking water.

### 5.2 Wairau/ Awatere Resource Management Plan

The subject land is zoned Rural 4 in the Wairau/ Awatere Resource Management Plan (WARMP).

#### Water Take

General Rule 27.1.2.3.1 provides for abstractions between 10 and 500 m<sup>3</sup>/day from a water resource other than the Wairau Aquifer, as discretionary activities.

#### Water Use

The Act requires that no person may use water unless expressly allowed in a rule in a regional plan. The WARMMP does not specifically provide for the use of water for domestic and stock purposes, although does imply this.

Section 87B of the Act determines that where Part 3 of the Act requires a resource consent, but where there is no relevant rule in a plan, the activity is to be dealt with as discretionary. The proposed use of water for domestic and stock purposes is therefore a Discretionary Activity.

### 5.3 Marlborough Environment Plan

The land is in the *Rural Environment* zone in the Marlborough Environment Plan (MEP).

The subject well is mapped as being within the in the Omaka Freshwater Management Unit (FMU).

#### Water Take

The water take is from the Omaka Aquifer FMU. The allocation of water from the Omaka Aquifer as a whole is specified in Appendix 6, Schedule 1 as 290,000m<sup>3</sup>/year.

Rule 2.5.2 provides for a water take such as proposed is a Discretionary Activity.

#### Water Use

Rule 2.5.3 provides for water use such as proposed is a Discretionary Activity.

## 6 Assessment

An overview analysis of the requirements of Schedule 4 of the Act is found in Appendix 5.

### 6.1 Actual & Potential Effects

#### Effects on Neighbourhood, Community

There are no known direct effects of this very small water abstraction on the ability of others to draw ground water.

The nearest well shown on Council records (P28w0924) is located approximately 7m to the north of the subject well. The well log indicates that this well is only 7.6m deep. The applicant has no knowledge of this well and it appears to be defunct.

The next nearest well on Council's records is P28w/2000, located some 180m north on Lot 3 DP6488. This well is 38m deep. It is not known if this well is still active. Given the separation distance and the difference in depth of the applicant's well and this neighbouring well, there is highly unlikely to be any interference effects between the two.

#### **Effects on the Locality, Landscape, Visual**

The rolling hill country on the subject properties is mapped in the MEP as the *Southern Hills Landscape*.

There will be no adverse effects of this ongoing water take and use on the locality, landscape or visual qualities of the area.

#### **Effects on Ecosystems**

Water is to be drawn from the Omaka Aquifer. Accordingly there will be no adverse effects on ecosystems.

#### **Effects on Aesthetic, Recreational, Scientific, Historical, Spiritual, or Cultural Values**

There are no particular aesthetic issues with this proposal and the site is not noted for any recreational values.

The site is not noted in the Plan as having any significant scientific or European historical significance. It is not noted in the document *Te Tau Ihu – Statutory Acknowledgements 2014* as having specific sites of cultural, spiritual, historical or traditional significance to Maori.

#### **Effects of Discharge of Contaminants**

No discharge of contaminants is proposed or will result from this proposal.

#### **Effects on Water Resource**

The Omaka Aquifer is an over-allocated water resource. Since the implementation of the Southern Valleys Irrigation Scheme and other Council initiatives, it is showing signs of recovery.

This proposed water take, even if fully exercised, is only 3.1% of the allocation for the Aquifer under the MEP.

## Risk Through Natural Hazards, Hazardous Substances, Hazardous Installations

No hazardous substances are involved with this proposal.

### 6.2 Objectives & Policies – Wairau/ Awatere Resource Management Plan

While acknowledging the need to safeguard the life-supporting capacity of water resources, the Wairau/ Awatere Resource Management Plan is essentially permissive in its approach to the take and use of water. This is borne out in Clause 6.2.1, Objective 1 of the Plan: *To **provide for the taking, use, damming and diversion of fresh water in a manner which safeguards the life supporting capacity of the resource and avoids, remedies or mitigates any adverse effects on the environment***" (my emphasis in bold).

Clause 6.3.1, Policy 1.10 - *To provide for an individual's reasonable domestic needs, the reasonable needs of an individual's animals for drinking water and for firefighting purposes as a priority over other users where there is no adverse effect on the environment.*

Clause 6.5.1, Policy 1.7 - *To ensure that priority is given to "an individual's reasonable domestic needs, the reasonable needs of an individual's animals for drinking water and for fire fighting purposes during rationing.*

Comment: These policies are in accordance with s14(3)(b) of the Act and serve to place a high level of importance on provision of reasonable water requirements for stock and domestic use. Given the very small proportion of the water allocation from the Omaka Aquifer that this proposed take represents, adverse effects of continuation of this take will be less than minor.

Clause 6.4.1, Policy 1.2 - *To allocate water on the basis of guidelines.*

Comment: The maximum guidelines in Volume 1 of the Plan for domestic use is 10m<sup>3</sup>/house/day and for rural residential allotments is 10m<sup>3</sup>/site/day, a total of 20m<sup>3</sup>/day. These volumes are confirmed as permitted activities for domestic and stock uses in Rule 27.1.2.1.1. It is worth noting that if the five properties were each drawing water from individual wells, no resource consents would be required for those individual takes.

The maximum water sought in this application is 25m<sup>3</sup>/ha/day which represents only 5m<sup>3</sup>/ day for each of the five properties.

Water meter readings have only been taken since October 2014. These are found in Appendix 3. Water abstraction over this period ranges from 59m<sup>3</sup>/month (June 2016) to 280m<sup>3</sup>/month (December 2016). The actual average daily abstraction over this period therefore ranges between only 2m<sup>3</sup>/day to 9m<sup>3</sup>/day in total for all five properties.

The proposed take is clearly well within the guidelines.

### 6.3 Objectives & Policies – Marlborough Environment Plan

Policy 4.1.2 – *Enable sustainable use of natural resources in the Marlborough environment.*

The commentary to this policy states that: *As a principle, the Council will continue to enable access to natural resources where the subsequent use of those resources has no more than minor adverse effect on the immediate or surrounding environment.*

Comment: This application is for no more water than previously granted under the existing water permit and will have no more than minor adverse effects on the Omaka Aquifer.

Policy 5.2.13: *Limit the total amount of water available to be taken from any freshwater management unit and avoid allocating water (through the resource consent process) beyond the limit set.*

Comment: The Omaka Aquifer is currently over-allocated (Policy 5.5.1), however this application is to replace an existing water permit and does not add to that over-allocation.

Policy 5.3.1 – *To allocate water in the following order of priority:*

- (a) natural and human use values; then*
- (b) aquifer recharge; then*
- (c) domestic and stock water supply; then*
- (d) municipal water supply; and then*
- (e) all other takes of water.*

Comment: This policy confirms the high priority of domestic and stock use of water in accordance with s14(3)(b) of the Act.

### 6.4 National Environmental Standards

There are no National Environmental Standards that are relevant to this proposal.

### 6.5 National Policy Statement

The National Policy Statement for Freshwater Management 2014 (NPSFM) requires Councils to stop over-allocating water resources and to institute methods to phase out over-allocation.

The Omaka Aquifer water is over-allocated, however this application is for no more water than previously granted under the existing water permit and does not add to that over-allocation. Council has instigated other measures to address the over-allocation issue.



## 6.6 Regulations

The Resource Management (Measurement and Reporting of Water Takes) Regulations 2010 require water meter data to be provided in a form that is suitable for electronic storage. It is expected that a water meter with data-logging capability will be required as a condition of any consent issued.

## 6.7 Regional Policy Statement

I have reviewed the application against the provisions of the Marlborough Regional Policy Statement (RPS). There are no matters in that document that have not already been covered by analysis of the objectives and policies of the WARMP.

## 7 Potentially Adversely Affected Persons & Consultation

This application is for a water permit to replace the applicant's water permit U070528 on expiry. No additional water or change of use of water is proposed.

The well is a considerable distance from the nearest wells and will therefore not affect water abstraction from those wells.

No consultation therefore is considered to be required or been undertaken.

## 8 Conclusions

This application is for a water permit to replace an existing water permit for domestic and stock water purposes. No new water is proposed to be taken.

The proposed take is well within guidelines in the local resource management plans.

The well is a considerable distance from the nearest well and will therefore not affect water abstraction from that neighbouring well.

The proposal is in accord with the relevant objectives and policies of the Plans.


Given the above, the applicant respectfully requests that consent be granted.

**Paul Williams**

Resource Management Consultant

March 2017

Appendix 1 – General Location



RECEIVED

31 MAR 2017

MARLBOROUGH  
DISTRICT COUNCIL



## An aerial photograph of a rural area with several land parcels outlined in white. The parcels are labeled with their respective identifiers: Lot 3 DP 6488, P28w/2000, Lot 3 DP 322773, P28w/0924, P28w/1995, Lot 4 DP 11647, P28w/3631, Lot 1 DP 332044, Lot 4 DP 11646, Lot 2 DP 332094, Lot 2 DP 12091, Lot 1 DP 11647, Lot 1 DP 11647, and Lot 1 DP 11647. A road labeled VALVEYS ROAD runs diagonally across the top left, and another road labeled BROOKBYNOA runs vertically along the left side. The terrain appears to be a mix of fields and wooded areas.

31 MAR 2017

MARLBOROUGH  
DISTRICT COUNCIL

# Appendix 3 – Meter Readings

Brookby Users water use monthly meter read last day of month.

	2017	2016	2015	2014
January meter reads	4912	3170	1222	
Months use	188	201	124	
February meter reads		3320	1364	
Months use		150	142	
March meter reads		3494	1516	
Months use		72	152	
April meter reads		3657	1774	
Months use		163	258	
May meter reads		3835	1973	
Months use		178	199	
June meter reads		3894	2074	
Months use		59	101	
July meter reads		3956	2247	
Months use		62	173	
August meter reads		4058	2343	
Months use		102	96	
September meter reads		4156	2455	
Months use		98	112	
October meter reads		4280	2629	822
Months use		124	174	
November meter reads		4444	2763	953
Months use		164	134	131
December meter reads		4724	2969	1098
Months use		280	206	145

RECEIVED

31 MAR 2017

MARLBOROUGH  
DISTRICT COUNCIL

Appendix 4 – Water Permit Application Form

**RECEIVED**

**31 MAR 2017**

**MARLBOROUGH  
DISTRICT COUNCIL**



Applicant's Name ..... Brookby Water Users Group .....



**MARLBOROUGH  
DISTRICT COUNCIL**

ISO 9001  
Document Number: RAF0007-CI1666

## INFORMATION TO SUPPORT AN APPLICATION for Water Permits (mandatory information)

This additional application form is required to be provided to supplement the Application for a Resource Consent. It is recommended you read the *Guidelines for Submitting a Water Permit Application*. This form does not include any information necessary to support a Land Use Consent application that may also be required in association with your water permit – e.g. construction of a bore, intake structure, dam etc.

Please complete all sections that apply.

### GENERAL:

1. Type of permit required:

Take surface water

☐

Dam water

☐

Take underground water

☒

Divert water

☐

2. Do you currently hold a water permit that is due to expire? **Yes** / No

If yes, please state the water permit number ..... U070528 .....

3. Purpose for which water is required? ..... Domestic and stock .....

(Industrial, crop irrigation, etc)

4. Source of water ..... Omaka Aquifer .....

(name of river, stream, aquifer, etc)

5. Maximum quantity of take ..... litres per second

..... 25 ..... cubic metres per day

..... cubic metres per week

### GROUNDWATER:

1. Well number (if existing well) ..... P28w/1995 .....

2. Depth from ground level to bottom of well ..... 56.5 ..... metres

3. Diameter of well ..... 125 ..... millimetres

4. Has a pump test or well interference test been carried out on the well? Yes / No

If yes, please attach results.

RECEIVED

31 MAR 2017

MARLBOROUGH  
DISTRICT COUNCIL



**SURFACE WATER:**

1. Abstraction method .....  
(e.g. intake gallery, suction hose, diversion channel, etc.)
2. Number of pumps to be used? .....
3. Rate of flow for pump .....litres per second.
4. Delivery pipe diameter .....millimetres

**DAMMING OR DIVERTING WATER:**

1. Please advise reason and purpose .....  
.....  
.....
2. Is the dam or diversion permanent / temporary? (circle one)
3. If temporary, give duration details .....

**CONSUMPTION SCHEDULE**

	CROP A				CROP B				CROP C				TOTALS			
<b>CROP TYPE</b> <i>e.g. corn, olives, etc</i>																
<b>AREA</b> <i>Number of hectares</i>																
<b>APPLICATION RATE</b> <i>(m<sup>3</sup> / ha / day)</i>																
<b>QUANTITY</b> <i>Cubic metres per day</i>																
<b>IRRIGATION PERIOD</b> <i>Circle months which apply</i>	Jan	Feb	Mar	Apr	Jan	Feb	Mar	Apr	Jan	Feb	Mar	Apr	Jan	Feb	Mar	Apr
	May	Jun	Jul	Aug	May	Jun	Jul	Aug	May	Jun	Jul	Aug	May	Jun	Jul	Aug
	Sep	Oct	Nov	Dec	Sep	Oct	Nov	Dec	Sep	Oct	Nov	Dec	Sep	Oct	Nov	Dec
<b>METHOD</b> <i>Trickle, spray, etc</i>																

Conversion formulae – 1,000 litres = 1 cubic metre (m<sup>3</sup>) = 220 gallons    1 acre = 0.4047 hectare

**RECEIVED**

**31 MAR 2017**

**MARLBOROUGH**

## Appendix 5 – Analysis of Requirements of Schedule 4 of the Act

Clause	Matter	Not relevant or applicable	Addressed in application
2(1)(a)	description of activity		✓
(b)	site description		✓
(c)	Name, address of owner or occupiers		✓
(d)	any other activities that are part of the proposal	✓	
(e)	other resource consents	✓	
(f)	an assessment of the activity against the matters set out in Part 2		
	Section 5 – purpose of the Act		✓
	Section 6 – matters of national importance		
	(a) natural character of the coastal environment, wetlands, lakes, rivers	✓	
	(b) outstanding natural features and landscapes	✓	
	(c) significant indigenous vegetation and habitats	✓	
	(d) public access to and along the coastal marine area, lakes, and rivers	✓	
	(e) relationship of Maori with ancestral lands, water, waahi tapu, and other taonga		✓
	(f) historic heritage	✓	
	(g) customary rights	✓	
	<i>Section 7 – Other Matters</i>		
	(a)kaitiakitanga	✓	
	(aa) ethic of stewardship	✓	
	(b) efficient use of resources	✓	
	(ba) efficiency of energy use	✓	
	(c) amenity values	✓	
	(d) intrinsic values of ecosystems	✓	
	(f) quality of the environment	✓	
	(g) any finite characteristics of natural and physical resources	✓	
	(h) protection of the habitat of trout and salmon	✓	
	(i) effects of climate change	✓	
	(j) benefits from the use and development of renewable energy	✓	
	<i>Section 8</i>		
	principles of Treaty of Waitangi	✓	
(g)	assessment of the activity against any relevant provisions of documents in s104(1)(b):		
	(i) national environmental standard	✓	
	(ii) other regulations:		✓
	(iii) national policy statement		✓
	(iv) New Zealand coastal policy statement	✓	
	(v) regional policy statement or proposed regional policy statement		✓

RECEIVED

31 MAR 2017

MARLBOROUGH  
DISTRICT COUNCIL

	(vi) plan or proposed plan		✓
(3)	Additional information required in some applications		
	(a) demonstration of compliance of permitted activity parts of proposal	✓	
	(b) assessment of the value of the investment of the existing consent holder		✓
	(b) assessment against Marine and Coastal Area (Takutai Moana) Act 2011	✓	
(6)	Information required in assessment of environmental effects		
	(a) possible alternative locations or methods if effects significant	✓	
	(b) actual or potential effects		✓
	(c) if hazardous substances and installations, an assessment of risks	✓	
	(d) discharge of any contaminants, a description of—		
	(i) nature of the discharge and the sensitivity of the receiving environment	✓	
	(ii) possible alternative methods of discharge	✓	
	(e) mitigation measures	✓	
	persons affected, consultation undertaken		✓
	(g) monitoring required if scale and significance of effects warrants, how & by whom		✓
	(h) alternatives if more than minor effects on customary right	✓	
(7)(1)	Matters that must be addressed by assessment of environmental effects		
	(a) effects on neighbourhood, community		✓
	(b) effects on the locality, landscape, visual		✓
	(c) effects on ecosystems		✓
	(d) effects on aesthetic, recreational, scientific, historical, spiritual, or cultural values		✓
	(e) discharge of contaminants		✓
	(f) risk through natural hazards, hazardous substances, hazardous installations		✓

RECEIVED

31 MAR 2017

MARLBOROUGH  
DISTRICT COUNCIL

To: Marlborough District Council  
PO Box 443  
Blenheim 7240



**MARLBOROUGH  
DISTRICT COUNCIL**

ISO 9001:2008  
Document Number:  
RAF0010-CI1220

## SUBMISSION ON APPLICATION FOR A RESOURCE CONSENT

### 1. Submitter Details

Name of Submitter(s) in full

Address for Service *(include post code)*

Email

Telephone *(day)*

Mobile

Facsimile

Contact Person *(name and designation, if applicable)*

### 2. Application Details

Application Number

U

Name of Applicant *(state full name)*

Application Site Address

Description of Proposal

### 3. Submission Details *(please tick one)*

I/we support all or part of the application

☐

I/we oppose all or part of the application

☐

I/we are neutral to all or part of the application

☐

The specific parts of the application that my/our submission relates to are *(give details, using additional pages if required)*





The reasons for my/our submission are *(use additional pages if required)*

---

---

---

The decision I/we would like the Council to make is *(give details including, if relevant, the parts of the application you wish to have amended and the general nature of any conditions sought. Use additional pages if required)*

---

---

---

#### 4. Submission at the Hearing

I/we wish to speak in support of my/our submission

☐

I/we do not wish to speak in support of my/our submission

☐

OPTIONAL: Pursuant to section 100A of the Resource Management Act 1991 I/we request that the Council delegate its functions, powers, and duties required to hear and decide the application to one or more hearings commissioners who are not members of the Council. *(Please note that if you make such a request you may be liable to meet or contribute to the costs of commissioner(s). Requests can also be made separately in writing no later than 5 working days after the close of submissions.)*

☐

#### 5. Signature

Signature \_\_\_\_\_ Date \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

#### 6. Important Information

- Council must receive this completed submission before the closing date and time for submission for this application. The completed submission may be emailed to [mdc@marlborough.govt.nz](mailto:mdc@marlborough.govt.nz)
- You must also send a copy of this submission to the applicant as soon as reasonably practicable, at the applicant's address for service.
- Only those submitters who indicate that they wish to speak at the hearing will be sent a copy of the hearing report.

#### 7. Privacy Information

The information you have provided on this form is required so that your submission can be processed under the Resource Management Act 1991. The information will be stored on a public file held by Council. The details may also be available to the public on Council's website. If you wish to request access to, or correction of, your details, please contact Council.